



ELSEVIER

Marine Chemistry 65 (1999) 307–308

MARINE  
CHEMISTRY

## Contents Vol. 65 (1999)

### Editorial

#### 5th International Symposium on Model Estuaries: New Approaches to Estuarine Chemistry

B. Sundby and S. de Mora	1
Using the $\delta^{18}\text{O}$ composition in landfast ice as a record of arctic estuarine processes	
R.W. Macdonald, E.C. Carmack and D.W. Paton	3
Tracing dissolved organic substances and nutrients from the Lena River through Laptev Sea (Arctic)	
G. Kattner, J.M. Lobbes, H.P. Fitznar, R. Engbrodt, E.-M. Nöthig and R.J. Lara	25
The effect of redox processes on the partitioning of Cd, Pb, Cu, and Mn between dissolved and particulate phases in the Baltic Sea	
C. Pohl and U. Hennings	41
Organic geochemical perspectives on estuarine processes: sorption reactions and consequences	
J.I. Hedges and R.G. Keil	55
Volatile hydride and methyl compounds of selected elements formed in the marine environment	
J.H. Weber	67
Mercury in the Chesapeake Bay	
R.P. Mason, N.M. Lawson, A.L. Lawrence, J.J. Leaner, J.G. Lee and G.-R. Shyu	77
Ammonium release from resuspended sediments in the Laguna Madre estuary	
J. Morin and J.W. Morse	97
The subterranean estuary: a reaction zone of ground water and sea water	
W.S. Moore	111
Use of $^{222}\text{Rn}$ and $^{226}\text{Ra}$ to trace groundwater discharge into the Chesapeake Bay	
N. Hussain, T.M. Church and G. Kim	127

### Research Papers

On the time required to establish chemical and isotopic equilibrium in the carbon dioxide system in seawater	
R.E. Zeebe, D.A. Wolf-Gladrow and H. Jansen	135
On the widespread occurrence of 3-methylidene-7,11,15-trimethylhexadecan-1,2-diol in the marine environment: a specific isoprenoid marker of chlorophyll photodegradation	
P. Cuny and J.-F. Rontani	155
The dissolved iodate and iodide distribution in the South Atlantic from the Weddell Sea to Brazil	
M.L.A.M. Campos, R. Sanders and T. Jickells	167
Comparison of $^{234}\text{Th}$ , $^{228}\text{Th}$ , and $^{210}\text{Pb}$ fluxes with fluxes of major sediment components in the Guaymas Basin, Gulf of California	
J.M. Smoak, W.S. Moore, R.C. Thunell and T.J. Shaw	177
Evaluation of anthropogenic and biogenic inputs into the western Mediterranean using molecular markers	
J. Dachs, J.M. Bayona, J. Fillaux, A. Saliot and J. Albaigés	195
Iodine speciation in the Nile River estuary	
M.A.R. Abdel-Moati	211

Physical limits on iron uptake mediated by siderophores or surface reductases C. Völker and D.A. Wolf-Gladrow . . . . .	227
Black carbon in marine sediments J.J. Middelburg, J. Nieuwenhuize and P. van Breugel . . . . .	245
The marine barite saturation state of the world's oceans C. Monnin, C. Jeandel, T. Cattaldo and F. Dehairs . . . . .	253
The dependence on temperature and salinity of dissolved inorganic carbon in East Atlantic surface waters D.C.E. Bakker, H.J.W. de Baar and E. de Jong . . . . .	263
Influence of <i>m</i> -cresol purple indicator additions on the pH of seawater samples: correction factors evaluated from a chemical speciation model M. Chierici, A. Fransson and L.G. Anderson . . . . .	281
The optimal carbonate dissociation constants for determining surface water $p\text{CO}_2$ from alkalinity and total inorganic carbon R. Wanninkhof, E. Lewis, R.A. Feely and F.J. Millero . . . . .	291
<i>Author Index Vol. 65</i> . . . . .	303
<i>Keyword Index Vol. 65</i> . . . . .	305
<i>Contents Vol. 65</i> . . . . .	307

